

Serial No. 10/782,702

Docket No. SHE-6933

LISTING OF THE CLAIMS

This listing of claims will replace all prior versions, and listings, of claims in the application:

1. (Cancelled)
2. (Currently Amended) The prosthesis of ~~claim 1~~ claim 9, wherein the strip comprises at least one of a natural material and a synthetic material.
3. (Currently Amended) The prosthesis of ~~claim 1~~ claim 9, wherein the strip comprises a biological tissue material.
4. (Previously Presented) A heart valve prosthesis comprising:
 - a valve member having an inflow end, an outflow end, and a generally cylindrical sidewall portion extending between the inflow end and the outflow end, the valve member including at least one leaflet moveable relative to the sidewall portion to provide for substantially unidirectional flow of fluid through the valve member;
 - a support of a substantially flexible material positioned around the sidewall portion;
 - a strip of pliant material around valve member intermediate the inflow end and the outflow end of the valve member in a generally overlying relationship with the support;
 - a covering over a radially outer exposed surface of at least the strip; and
 - a sheath of a flexible material that covers the support and at least a substantial portion of an exterior part of the sidewall of the valve member, the sheath being interposed between the support and the strip.
5. (Original) The prosthesis of claim 4, wherein the covering further comprises a length of the sheath folded axially over another portion of the sheath that covers the support to form a fold seam adjacent the inflow end of the valve member, the length of the sheath extending from the fold seam over the strip such that an end thereof terminates at a location adjacent an outflow end of the support.
6. (Original) The prosthesis of claim 5, wherein at least the covering is attached relative to the valve member to inhibit at least axial movement of the strip relative to the valve member.

Serial No. 10/782,702

Docket No. SHE-6933

7. (Original) The prosthesis of claim 4, wherein the sheath comprises a biological tissue material.

8. (Cancelled)

9. (Currently Amended) A heart valve prosthesis comprising:
a valve member having an inflow end, an outflow end, and a generally cylindrical sidewall portion extending between the inflow end and the outflow end, the valve member including at least one leaflet moveable relative to the sidewall portion to provide for substantially unidirectional flow of fluid through the valve member;

a support of a substantially flexible material positioned around the sidewall portion, wherein the support is positioned around the sidewall portion of the valve member intermediate the inflow end and the outflow end of the valve member, such that an inflow end of the support is spaced apart from the inflow end of the valve member and an outflow end of the support is spaced apart from the outflow end of the valve member;

a strip of pliant material around valve member intermediate the inflow end and the outflow end of the valve member in a generally overlying relationship with the support;

a covering over a radially outer exposed surface of at least the strip; and

The prosthesis of claim 1, wherein the outflow end of the sidewall portion of the valve member includes alternating peaks and sinuses, the outflow end of the support being configured to follow the contour of the sinuses of the valve member.

10. (Currently Amended) The prosthesis of ~~claim 1~~ claim 9, further comprising an outflow extension operatively associated with and extending axially beyond and lateral each of a plurality of commissures proximal an outflow end of the valve member.

11. (Original) A heart valve prosthesis comprising:
a valve member having an inflow end, an outflow end, and a generally cylindrical sidewall portion extending between the inflow end and the outflow end, the valve member including at least one leaflet moveable relative to the sidewall portion to provide for substantially unidirectional flow of fluid through the valve member;

Serial No. 10/782,702

Docket No. SHE-6933

a support of a substantially flexible material positioned around the sidewall portion, wherein the support is positioned around the sidewall portion of the valve member intermediate the inflow end and the outflow end of the valve member, such that an inflow end of the support is spaced apart from the inflow end of the valve member and an outflow end of the support is spaced apart from the outflow end of the valve member;

a strip of pliant material around valve member intermediate the inflow end and the outflow end of the valve member in a generally overlying relationship with the support;

a covering over a radially outer exposed surface of at least the strip;

an outflow extension operatively associated with and extending axially beyond and lateral each of a plurality of commissures proximal an outflow end of the valve member; and

~~The prosthesis of claim 10, further comprising~~ a sheath of a flexible material that covers the support and at least a substantial portion of an exterior part of the sidewall of the valve member, the outflow extensions being formed as outflow extending portions of the sheath that extend a predetermined distance beyond each of the plurality of commissures proximal the outflow end of the valve member.

12. (Currently Amended) The prosthesis of ~~claim 1~~ claim 9, wherein the valve member further comprises one of a homograft and a xenograft that includes at least two leaflets extending from a valve wall portion corresponding to the sidewall portion.

13. (Cancelled)

14. (Currently Amended) The prosthesis of ~~claim 13~~ claim 17, further comprising an outflow extension operatively associated with and extending axially beyond and lateral each of a plurality of commissures of the heart valve proximal an outflow end of the sidewall portion of the heart valve.

15. (Previously Presented) The prosthesis of claim 14, further comprising a sheath of a flexible material that covers the support and at least a substantial portion of an exterior part of the sidewall of the heart valve, the outflow extensions being formed as outflow extending portions of the sheath that extend a predetermined distance beyond each of the plurality of

Serial No. 10/782,702

Docket No. SHE-6933

commissures of the heart valve proximal the outflow end of the sidewall portion of the heart valve.

16. (Currently Amended) The prosthesis of ~~claim 13~~ claim 17, wherein the support comprises a flexible material having a radial thickness of less than about 0.5 mm.

17. (Currently Amended) A heart valve prosthesis comprising:

a heart valve comprising:

a generally cylindrical sidewall portion extending between an inflow end and an outflow end; and

at least one leaflet located within the sidewall portion, the at least one leaflet being moveable relative to the sidewall portion to provide for substantially unidirectional flow of blood through the heart valve;

a support apparatus around the sidewall portion and positioned axially between the inflow end and the outflow end of the sidewall portion;

a strip of pliant material around the sidewall portion of the heart valve intermediate the inflow end and the outflow end of the sidewall portion and extending radially outwardly beyond a radially outer surface of the support;

a pliable covering over the strip and attached relative to the heart valve to inhibit axial movement of the strip relative to the heart valve; and

~~The prosthesis of claim 13, further comprising~~ a sheath of a flexible material interposed between the support and the strip, the sheath covering the support and at least a substantial part of the sidewall portion of the heart valve, the sheath having an inflow extending portion folded axially over a portion of the sheath that covers the support to define a fold seam adjacent the inflow end of the sidewall portion of the heart, a length of the sheath extending from the fold seam over the strip such that an end thereof terminates at a location adjacent an outflow end of the support.

18. (Original) The prosthesis of claim 17, wherein the sheath is secured relative to the heart valve to inhibit axial movement of the strip relative to the heart valve.

Serial No. 10/782,702**Docket No. SHE-6933**

19. (Original) The prosthesis of claim 17, wherein the sheath comprises a biological tissue material.

20. (Original) The prosthesis of claim 17, wherein an outflow end of the support is sinusoidal with peaks extending from a generally annular base portion corresponding to a contour of the outflow end of the sidewall portion of the heart valve, such that the peaks of the support are substantially aligned with corresponding commissures of the heart valve.

21- 22. (Cancelled)